ICY BOX®
www.icybox.de

IB-RD3262+USE2
2-bay RAID-System for 3.5" SATA HDDs



Key features

- External RAID system for 2x 3.5" SATA HDD
- Premium aluminium enclosure
- HDD capacity unlimited
- RAID level: RAID 0, RAID 1, SPAN, JBOD
- RAID settings via RAID Master Software
- External data interfaces: 1x USB 2.0, 1x eSATA, 1x FireWire 400, 2x FireWire 800
- Plug & Play and Hot Swap
- With FireWire Repeater Function (Daisy Chain)
- Power saving: HDD-Spin-Down-Support
- Easy HDD installation and -change by patented SmartGuider tray
- Disk Roaming (HDDs interchangeable)
- Efficient heat dissipation by aluminium enclosure and vent holes at rearside
- Fan (80 mm) – 1900 rpm (+/- 10%), 17,13 dB(A) max.

Technical data

Model	IB-RD3262+USE2
Article No.	21331
EAN code	4250078185864
Brand	ICY BOX
Article text	2-bay RAID-System for 3.5" SATA HDDs
Colour	Silver/White
Material	Aluminium/Plastic
HDD interface	2x 3.5" SATA
HDD capacity	No limit
Hot Swap	Yes
Plug & Play	Yes
External data interface	1x USB 2.0, 1x eSATA, 1x FireWire 400, 2x FireWire 800

RAID level	RAID 0, RAID 1, SPAN, JBOD
Processor	JMicron JMB356
LED	Power, HDD connection, HDD access, Disk rebuild, HDD error, fan error
Alarm	Optical, LED lights up red
User interface	No
Operating system	Windows 2000/XP/Vista/7, Mac OS >10.4
Transfer rate	USB 2.0 up to 480 Mbit/s, eSATA up to 3 Gbit/s, FireWire 400 up to 400 Mbit/s, FireWire 800 up to 800 Mbit/s
Power switch	Yes
Auto rebuilding	Yes
Power connector	External power supply: AC: 100-240 V/ 50-60 Hz/1.6 A/60 W; DC: 12 V/5 A

RaidSonic Technology GmbH • Kurt-Fischer-Straße 50 • 22926 Ahrensburg / Germany
Telefon: +49-(0)4102 – 468 900 (Vertrieb) • Fax: +49-(0)4102 – 468 901 • www.raidsonic.de
Offers and deliveries are only done under our General Terms and Conditions. Errors and omissions excepted.

RaidSonic
STORAGE SOLUTIONS WITHOUT LIMITS

Fast and Safe

The fast connections Firewire 400 and 800 for Mac users as well as eSATA for PC users allow to work very fast e. g. when editing video or working on music. RAID 0 adds to that high performance. For those who prefer safety, there is RAID 1 providing data redundancy. SPAN offers the medium.



RaidSonic Technology GmbH • Kurt-Fischer-Straße 50 • 22926 Ahrensburg / Germany
Telefon: +49-(0)4102 – 468 900 (Vertrieb) • Fax: +49-(0)4102 – 468 901 • www.raidsonic.de
Offers and deliveries are only done under our General Terms and Conditions. Errors and omissions excepted.

RaidSonic
STORAGE SOLUTIONS WITHOUT LIMITS

ICY BOX®
www.icybox.de

***SmartGuider** Tray compatible to IB-326, IB-RD3262 and IB-RD3264*



IB-326StUSE2

IB-RD3264+USE2

IB-RD3262+USE2

Packing content

1x IB-RD3262+USE2, 8x HDD screws, 2x spare HDD screws, 2x SmartGuider tray, 1x FireWire 400 cable, 1x FireWire 800 cable, 1x USB cable, 1x SATA cable, 1x external power supply, 1x CD (Manual, RAID Master software), 1x Quick installation guide

Logistical data

Packing unit:	4 pcs./carton	Dimension/Carton:	565x410x250 mm	Import tax:	84733080
Total weight:	11.2 kg/carton	Dimension (with packing):	278x190x225 mm		
Gross weight:	2.5 kg	Dimension of article:	126x138x213 mm		
Net weight:	1.35 kg	Country of Origin:	China		

RaidSonic Technology GmbH • Kurt-Fischer-Straße 50 • 22926 Ahrensburg / Germany
Telefon: +49-(0)4102 – 468 900 (Vertrieb) • Fax: +49-(0)4102 – 468 901 • www.raidsonic.de
Offers and deliveries are only done under our General Terms and Conditions. Errors and omissions excepted.

RaidSonic
STORAGE SOLUTIONS WITHOUT LIMITS